



COMPLIANCE SAMPLING SITE **CHANGE** FORM

Requests to change Bacteria, Chemical, or Lead and Copper sampling sites must be submitted in writing. Please print this form, fill it out and email or fax the changes to our office for approval **prior** to collecting the sample at a new sampling location. Sample results taken from sites that do not match the DES approved sites will be rejected.

Name of System:

For DES use only:

System Type:

C

P

N

Town:

EPA #

BACTERIA

Fax or email Bacteria changes to: (603) 271-3490 or barbara.davis@des.nh.gov

For Bacteria sites, samples should be taken from a site that is in the middle of the distribution system. Routine samples from the well, pump house, storage tank, or the first and last connection are not allowed.

OLD Site ID # (ex: 001, 002, etc)		LOCATION/DESCRIPTION
NEW		

CHEMICAL

Fax or email Chemical changes to: (603) 271-5171 or tricia.madore@des.nh.gov

For Chemical sites, samples should be taken after treatment at the entry point to the distribution, (note that when sampling for nitrates/nitrites, either turn off the chlorinator or take samples before chlorination).

OLD Monitoring Site ID # (ex: 001, 501, etc)		LOCATION/DESCRIPTION
NEW		

LEAD/COPPER

Fax or email Lead/Copper changes to: (603) 271-3490 or joan.fitzsimmons@des.nh.gov

For Lead and Copper sites, samples should be taken from drinking water sites across the distribution system.

- a) if a site is active, it will show on your Master Sampling Schedule
- b) if a site is inactive, and you wish to sample there, you **MUST** contact us before you take the sample.
Sample results taken at inactive sites will be rejected.
- c) if a site's name has changed (street names, room numbers, buildings), you **MUST** contact us before you take the sample. Sample results taken from sites that do not match the active site list will be rejected.

Lead and Copper samples may only be taken from "active" sites. If you are unsure of your active sites, need to add active sites, or need to make an "inactive" site active again, please contact Joan Fitzsimmons.

OLD Monitoring Site ID # (ex: 001, 002, etc)		LOCATION/DESCRIPTION
NEW		

Reason for requested change(s):

Date requested: _____ By whom: _____

FOR DES USE ONLY:

Approved: _____ By: _____ Date: _____

NOT approved: _____ By: _____ Date: _____